MANAGEMENT OF WARFARIN BEFORE AND AFTER MEDICAL PROCEDURES OR SURGERY FOR PATIENTS REQUIRING BRIDGING THERAPY

This form should be completed by your doctor. It provides instructions on when to take your warfarin and inject enoxaparin (Clexane®) if you are having a procedure or surgery.

Date of procedure	:			MRN:							
Procedure:					Name:						
Indication(s) for ar	nticoagulation: _				DOB:						
Usual warfarin bra	nd: □ Coumadi	/an Usual v	warfarin dose	e: T	arget INR:						
Bleeding risk:											
□ MINIMAL □ LO		□ LOW	1		□ HIGH						
Consulted with specialist performing the procedure: ☐ YES ☐ NO											
Comments:											
Thrombotic (clotting) risk:											
□ LOW			ERATE		□ HIGH						
Consulted with specialist managing anticoagulation: ☐ YES ☐ NO											
Comments:											
Show this form to	o the doctor a	t any appointr	ments BEFO I	RE your pro	ocedure. Bring t	this form to ye	our procedure.				
When to take warfarin and inject enoxaparin BEFORE your procedure:											
Number of days before surgery	6	5	4	3	2	1	Morning of procedure				
Date											
INR											
Warfarin	Take last dose of	X No warfarin	X	X	X	Х	Х				
	warfarin	NO Warianin	No warfarin	No warfarir	n No warfarin	No warfarin	No warfarin				
Enoxaparin	Х	Х	Time	Time	No warfarin Time	No warfarin Time	Х				
Enoxaparin (Clexane®) injection dose											
(Clexane®)	X No enoxaparin	X No enoxaparin	Time Dose	Time Dose	Time	Time Dose	X No				
(Clexane®) injection dose	X No enoxaparin ther informatio	X No enoxaparin on please con	Time Dose tact:	Time Dose	Time	Time Dose	X No enoxaparin				





Taking warfari	MRN:	MRN:								
Date of procedu	Name:									
Procedure:	DOB:	DOB:								
Complete this for home)	orm with your s	urgeon or pro	ceduralist AF	TER your pro	ocedure (befor	re you are disch	narged			
When to take warfarin and inject enoxaparin AFTER your procedure:										
Number of days after surgery	Day of procedure	1	2	3	4	5	6			
Date										
INR										
Warfarin Dose										
Enoxaparin (clexane®) injection	Time	Time	Time	Time	Time	Time	Time			
	Dose	Dose	Dose	Dose	Dose	Dose	Dose			
	2000	2000	2000	2000	2000		2000			
Then, continue to take your warfarin as normal from Your next INR test is due on										
Show this form t	to your doctor	during any ap	pointments st	raight AFTEF	your proced	ure.				
If you require further information please contact:onon										
Instructions if	you notice ar	ny signs of b	leeding AFT	ER your pro	cedure					
Signs of bleeding	g may include:	:								
Please contacton			i	if you notice any of these signs.						
If the bleeding is severe, go straight to your nearest Hospital Emergency Department. Tell them you are taking WARFARIN										
Doctor name:	ne:Signature:									
Designation:					Date:					
For further information please refer to the CEC Guidelines for perioperative management of anticoagulant and antiplatelet agents										

Acknowledgement

The Clinical Excellence Commission acknowledges the members of the Anticoagulant Medicines Working Party who contributed to the development of this document.

Management of warfarin therapy before and after medical procedures or surgery for patients requiring bridging therapy Released December 2018, © Clinical Excellence Commission. SHPN (CEC) 180717



